

facepos

Self-Payment Kiosk **iRS**POS





Specification

CPU	Rk3288 Quad Core CPU 1.8GHz	Intel Celeron Bay Trail D J1900 Quad Core 2.0G up to 2.42G
OS	Android 5.1 / 7.1	Windows 7/8/10
RAM	2G / 4G	4G
Flash / SSD	8G / 16G	64G
Touch Screen	23.8" / 32" 10 points touch screen (Explosion proof)	
Size	23.8" / 32"	
Resolution	1920 x 1080	
Printer	Embed printer, Easy to disassemble 80mm thermal printing head (Auto-cutter)	
Camera	Support face payment Camera (3D) / HD Camera	
Scanner	1D / 2D Scan platform / 2D scan windows	
Card Reader	Support 1+2+3 MSR / Hand-held payment terminal	
Option	Mounted Part / Stand	
Interface	USB × 1, RS232 × 1, LAN × 1	
Power	100~ 240VAC	

F15A

Self-Payment Kiosk

- Smart Size 15.6" only
- Desktop / Mounted
- Windows / Android OS
- Face-payment / HD camera
- Aluminum alloy frame
- Explosion proof touch screen
- Black / White color



Mounted kiosk height 550mm,
width 420mm, thickness 93mm

- Desktop kiosk height 490mm, width 420mm,
thickness 280mm
- Screen angle 15°~35°

Specification

CPU	Rk3288 Quad Core CPU 1.8GHz	Intel Celeron Bay Trail D J1900 Quad Core 2.0G up to 2.42G
OS	Android 5.1 / 7.1	Windows 7/8/10
RAM	2G / 4G	4G
Flash / SSD	8G / 16G	64G
Touch Screen	15.6" 10 points touch screen (Explosion proof)	
Size	15.6"	
Resolution	1920 x 1080	
Printer	Embed printer, Easy to disassemble 80mm thermal printing head (Auto-cutter)	
Camera	Support face payment Camera (3D) / HD Camera	
Scanner	1D / 2D Scan platform / 2D small scan	
Card Reader	Support 1+2+3 MSR / Hand-held payment terminal	
Option	Mounted / Desktop	
Interface	USB × 1, LAN × 1	
Power	100~ 240VAC	




- 23.8" / 32" (Optional)
- Support OEM

Specification

CPU	Rk3288 Quad Core CPU 1.8GHz	Intel Celeron Bay Trail D J1900 Quad Core 2.0G up to 2.42G
OS	Android 5.1 / 7.1	Windows 7/8/10
RAM	2G / 4G	4G
Flash / SSD	8G / 16G	64G
Touch Screen	23.8" / 32" 10 points touch screen (Explosion proof)	
Size	23.8" / 32"	
Resolution	1920 x 1080	
Printer	Embed printer, Easy to disassemble 80mm thermal printing head (Auto-cutter)	
Camera	Support face payment Camera (3D) / HD Camera	
Scanner	1D / 2D Scan platform / 2D scan windows	
Card Reader	Support 1+2+3 MSR / Hand-held payment terminal	
Option	Mounted Part / Stand	
Interface	USB × 1, RS232 × 1, LAN × 1	
Power	100~ 240VAC	

F24A / F32A

Self-Payment Kiosk



- Mounted Kiosk Height 885mm, width 370mm, thickness 93mm (F24A)



facepos kiosk successful use in End-user

- Stand height 1695mm (Max height)
4 Kind of adjustable height lock (F24A)

Specification

CPU	Rk3288 Quad Core CPU1.8GHz	Intel Celeron Bay Trail D J1900 Quad Core 2.0G up to 2.42G
OS	Android 5.1 / 7.1	Windows7/8/10
RAM	2G / 4G	4G
Flash / SSD	8G /16G	64G
Touch Screen	23.8" / 32" 10 points touch screen (Explosion proof)	
Size	23.8" / 32"	
Resolution	1920 x 1080	
Printer	Embed printer, Easy to disassemblen 80mm thermal printing head (Auto-cutter)	
Camera	Support face payment Camera (3D) / HD Camera	
Scanner	1D / 2D Scan platform/ 2D scan windows	
Card Reader	Support 1+2+3 MSR / Hand-held payment terminal	
Option	Mounted Part / Stand / Counter Stand	
Interface	USB × 1, RS232 × 1, LAN × 1	
Power	100~ 240VAC	