() MPAM • iRS

ESL> Wisdom Series

Dot Matrix E-paper Black/White/Red



ZKC21 | 2.13 " Screen

Dot Matrix E-paper Black/White/Red



Size : 72*36.4*13.9mm Screen : 48.6*23.7mm Operate temperature : 0~40°C Battery : 1200mAh /5Years Color Support: Black/White/Red

ZKC29 | 2.9 " Screen

Dot Matrix E-paper Black/White/Red



Size : 93.6*42.2*11.9mm Screen : 66.9*29.1mm Operate temperature : 0°~40°C Battery : 1200mAh /5Years Color Support: Black/White/Red

ZKC42 | 4.2 " Screen

Dot Matrix E-paper Black/White/Red



Size : 105.3*94.5*12.3mm Screen : 84.8*63.6mm Operate temperature : 0~40°C Battery : 2400mAh /5Years Color Support: Black/White

ZKD77 | 7.7 " Screen

Segment Code Screen Black/White



Size : 215.7*206.8*15mm Screen : 179.4*81.54mm Operate temperature : 0°~40°C Battery : 4800mAh / 5years Color Support : Black White

() MPAM • iRS

ESL> Beyond Series

Dot Matrix E-paper Black/White/Red (Yellow)



ZKC15S | 1.54 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 44.5*35.9*13.7mm

Operate temperature : 0~40℃

Battery : 600mAh / 5years

Screen : 27*27mm



ZKC21S | 2.13 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 72*36.4*14.3mm Screen : 48.6*23.7mm Operate temperature : 0~40°C Battery : 1200mAh / 5years

ZKC42S | 4.2 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 105*91*13.2mm Screen : 84.8*63.6mm Operate temperature : 0~40°C Battery : 2400mAh / 5years

N	NFC	
<u>₽</u>	LED	
	Replace	



Dot Matrix E-paper Black/White/Red (Yellow)





Size : 105*91.5*13mm Screen : 91*77mm Operate temperature : 0~30°C Battery : 2400mAh / 5years



ZKC21SF | 2.13 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)





Size : 72*36.4*14.3mm Screen : 48.6*23.7mm Operate temperature : -25°~40°C Battery: 1200mAh / 5years

ZKC27S | 2.7 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)





Size : 77.71*50*14.3mm Screen : 57.3*38.2mm Operate temperature : 0~40°C Battery : 1200mAh / 5years

ZKC58S | 5.8 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 138.3*111.8*13.8mm Screen : 118.8*88.2mm Operate temperature : 0~40°C Battery: 2400mAh / 5years



Dot Matrix E-paper Black/White/Red (Yellow)



Size : 83*41*14.3mm Screen : 60.1*30.7mm Operate temperature : 0~40°C Battery : 1200mAh / 5years



ZKC29S | 2.9 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 90.41*41*14.3mm Screen : 66.9*29.1mm Operate temperature : 0~40°C Battery : 1200mAh / 5years

ZKC75S | 7.5 " Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 185*124.3*13mm Screen : 163.2*97.9mm Operate temperature : 0~40°C Battery: 4800mAh / 5years



PAM • iRS RETAIL TECHNOLOGY



ESL> Valley Series

Dot Matrix E-paperBlack/White/Red (Yellow)



ZKC42V | 4.2 "Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 104*87*14.9mm

Screen : 84.8*63.6mm

Operate temperature : 0~40°C

Battery : 1200mAh / 5years



ZKC58V | 5.8 "Screen

Dot Matrix E-paper Black/White/Red (Yellow)





Size : 135*110*9mm Screen :118.8*88.2mm Operate temperature : 0~40°C Battery : 1800mAh / 5years

ZKC75V 7.5 "Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 180*121.8*9mm Screen :163.2*97.9mm Operate temperature : 0~40°C Battery: 2400mAh / 5years

ZKC116V | 11.6 "Screen

Dot Matrix E-paper Black/White/Red (Yellow)



Size : 266*190*9mm Screen :244*164mm Operate temperature : 0~40°C Battery: 3600mAh / 5years





AP > Wireless Base Station

Advanced Wireless Communication Tech



ZAP-C

Size: 180*180*33mm Operate temperature: -10~60°C Power: 48V POE Weight: 500g Frequency: 2.4GHz+5GHz Wi-Fi Speed: 1167Mbps Coverage: Indoor 10m - 30m radius



ZAP-D

Size: Ф 103.2*149.6mm Operate temperature: 0~45°C Power: 12V DC Frequency: 2.4GHz+5GHz Wi-Fi Speed: 1167Mbps Coverage: Indoor 10m-30m radius



ZAP-DM

Size: 184.5*109.5*30.3mm Operate temperature: 0~45°C Power: 12V DC Frequency: 2.4GHz+5GHz Wi-Fi Speed: 1167Mbps Coverage: Indoor 10m-30m radius






For shelf edge display











For irregular edge and flat surface display



For fresh food and frozen food display

